

Jim Doyle
Governor

**WISCONSIN DEPARTMENT OF
REGULATION & LICENSING**



Donsia Strong Hill
Secretary

1400 E Washington Ave
PO Box 8935
Madison WI 53708-8935
Email: web@drl.state.wi.us
Voice: 608-266-2112
FAX: 608-267-0644
TTY: 608-267-2416

**TELECONFERENCE
ACCOUNTING EXAMINING BOARD SCREENING PANEL
Room 194, 1400 E. Washington Avenue, Madison
Contact: David O'Connell (608-261-4490)
Thursday, June 3, 2004
8:30 AM**

1. Call Open Session to Order
2. Convene To Closed Session to consider discipline (s. 19.85(1)(B), Stats., and to consider individual histories or disciplinary data (s. 19.85(1)(f), Stats.
 - a. Screen complaints received from the public against credential holders. The panel consists of two Board members and Department Staff.
3. Reconvene to Open Session
4. Vote on Items Considered or Deliberated Upon In Closed Session
5. Adjournment

MEETINGS AND HEARINGS ARE OPEN TO THE PUBLIC UNLESS OTHERWISE NOTED. IF A BOARD ADJOURNS TO CLOSED SESSION, RECONVENES IN OPEN SESSION TO VOTE ON ITEMS CONSIDERED IN CLOSED SESSION, AND DURING VOTING DETERMINES THAT ADDITIONAL DELIBERATIONS ARE NECESSARY FOR VOTING, THE BOARD MAY ADJOURN TO CLOSED SESSION TO CONTINUE DELIBERATIONS AND THEN RECONVENE INTO OPEN SESSION FOR VOTING.

Meetings and hearings may be cancelled without notice. Times listed for meeting items are approximate and depend on the length of discussion and voting. The board may also consider in closed session, stipulations filed after the printing of this notice. Meetings may be confirmed by a telephone call to the listed contact person. Examinations are open only to authorized candidates. Times listed for the commencement of disciplinary hearings may be changed by the examiner for the convenience of the parties. All meetings are held at 1400 East Washington Avenue, Madison, Wisconsin, unless otherwise noted. For a complete copy of the board's agenda, contact the board listed above. Interpreters for the hearing impaired provided on request. Contact the Affirmative Action Officer, (608) 266-2112.